

U.P.S. Battery Cross-Reference

A.P.C.	Page 51 - 54
BELKIN	Page 54
EXIDE POWERWARE	Page 55
LIEBERT	Page 56 -57
TRIPPLITE	Page 57 - 60

For all other U.P.S. replacement batteries please call 800-372-9253

We also feature *Unigy Batteries* for: Custom UPS Systems or UPS Rack Systems

Call For Information

800-372-9253

A.P.C.								
MODEL	QTY	VOLTAGE	CAPACITY	DIMENSIONS			WT (lb) ea.	PART #
				(Ah)	L (in)	W (in)		
BK200	2	6	4.5	2.76	1.85	3.98	2.00	ES4-6
BF200	2	6	4.5	2.76	1.85	3.98	2.00	ES4-6
BK250B	1	12	7.2	5.28	2.56	3.98	5.91	ES7-12
BK250I	1	12	7.2	5.28	2.56	3.98	5.91	ES7-12
POWERSTACK 250	1	12	7.2	5.28	2.56	3.98	5.91	ES7-12
BK280B	1	12	7.2	5.28	2.56	3.98	5.91	ES7-12
BP280C	1	12	7.2	5.28	2.56	3.98	5.91	ES7-12
BK300C	1	12	7.2	5.28	2.56	3.98	5.91	ES7-12
BK300X116	1	12	7.2	5.28	2.56	3.98	5.91	ES7-12
BE325	1	12	3.2	5.28	2.64	2.64	3.17	ES3-12
BE325-CN	1	12	3.2	5.28	2.64	2.64	3.17	ES3-12
BE350	1	12	5	3.54	2.76	3.98	4.04	ES5-12
BE350C	1	12	3.2	5.28	2.64	2.64	3.17	ES3-12
BE350R	1	12	3.2	5.28	2.64	2.64	3.17	ES3-12
BE350T	1	12	3.2	5.28	2.64	2.64	3.17	ES3-12
BE350U	1	12	3.2	5.28	2.64	2.64	3.17	ES3-12
BK350	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BK400	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BK400B	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BK450	2	6	12	5.94	2.56	3.98	4.97	ES12-6
POWERSTACK PS450	2	6	7	5.94	1.34	3.98	2.89	ES7-6
BE500	1	12	5	3.54	2.76	3.98	4.04	ES5-12
BE500C	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BE500R	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BE500U	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BH500NET	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BK500	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BK500BLK	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BK500MC	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BP500CLR	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BP500UC	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BR500	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BE550R	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
BK600	2	6	12	5.94	1.97	3.98	4.97	ES12-6
BK600C	2	6	12	5.94	1.97	3.98	4.97	ES12-6
BE650BB	1	12	9	5.94	2.56	3.98	6.56	ES9-12T2
BE650BB-CN	1	12	9	5.94	2.56	3.98	6.56	ES9-12T2
BE650R	1	12	9	5.94	2.56	3.98	6.56	ES9-12T2
BK650MC	1	12	12	5.94	3.90	3.98	9.39	ES12-12
BK650X06	1	12	12	5.94	3.90	3.98	9.39	ES12-12
BE725BB	1	12	9	5.94	2.56	3.98	6.56	ES9-12T2
BE750BB	1	12	12	5.94	3.90	3.98	9.39	ES12-12
BR800BLK	2	12	9	5.94	2.56	3.98	6.56	ES9-12T2
BR900	2	12	9	5.94	2.56	3.98	6.56	ES9-12T2
BR1000	2	12	9	5.94	2.56	3.98	6.56	ES9-12T2
BR1200	2	12	9	5.94	2.56	3.98	6.56	ES9-12T2
BR1500	2	12	9	5.94	2.56	3.98	6.56	ES9-12T2
SC250RM1U	2	6	7	5.94	1.34	3.98	2.89	ES7-6
SC420	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU1400RMNET	4	12	7.2	5.94	2.56	3.98	5.91	ES7-12

A.P.C. continued on next page...

A.P.C. (continued)

MODEL	QTY	VOLTAGE	CAPACITY (Ah)	DIMENSIONS			WT(lb) ea.	PART #
				L (in)	W (in)	H (in)		
SUA2200RMUS	8	12	5	3.54	2.76	3.98	4.04	ES5-12
SU420NET	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SUVS420	1	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU450	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SC450RM1U	2	6	7	5.94	1.34	3.98	2.89	ES7-6
AP600	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SC620	1	12	12	5.94	3.90	3.98	9.39	ES12-12
SU620NET	1	12	12	5.94	3.90	3.98	9.39	ES12-12
SUV650	1	12	12	5.94	3.90	3.98	9.39	ES12-12
DL700	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU700	1	12	12	5.94	3.90	3.98	9.39	ES12-12
SU700BX120	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU700 NET	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU700R2BX120	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU700RM	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU700RM2U	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU700RMNET	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU700US	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU700X167	2	12	12	5.94	3.90	3.98	9.39	ES12-12
SU700X93	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU700XL	2	12	18	7.13	3.03	6.57	13.82	ES17-12
SUA750RM1U	4	6	7	5.94	1.34	3.98	2.89	ES7-6
SUA750RM2U	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SC1000	2	12	9	5.94	2.56	3.98	6.56	ES9-12T2
SU1000	2	12	12	5.94	3.90	3.98	9.39	ES12-12
SU1000BX120	2	12	12	5.94	3.90	3.98	9.39	ES12-12
SU1000NET	2	12	12	5.94	3.90	3.98	9.39	ES12-12
SU1000R2BX120	4	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU1000RM	2	12	12	5.94	3.90	3.98	9.39	ES12-12
SU1000RM2U	4	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU1000RMNET	2	12	12	5.94	3.90	3.98	9.39	ES12-12
SU1000X127	2	12	12	5.94	3.90	3.98	9.39	ES12-12
SU1000XL	2	12	18	7.13	3.03	6.57	13.82	ES17-12
SU1000XLINET	2	12	18	7.13	3.03	6.57	13.82	ES17-12
SUA1000RM1U	4	6	7	5.94	1.34	3.98	2.89	ES7-6
SUA1000RM2U	4	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SUA1000RMUS	4	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SUA1000US	2	12	12	5.94	3.90	3.98	9.39	ES12-12
SUVS1000	2	12	12	5.94	3.90	3.98	9.39	ES12-12
AP1250	2	12	18	7.13	3.03	6.57	13.82	ES17-12
AP1250RM	2	12	18	7.13	3.03	6.57	13.82	ES17-12
SU1400	2	12	18	7.13	3.03	6.57	13.82	ES17-12
SU1400BX120	2	12	18	7.13	3.03	6.57	13.82	ES17-12
SU1400NET	2	12	18	7.13	3.03	6.57	13.82	ES17-12
SU1400R2BX120	4	12	9	5.94	2.56	3.98	6.56	ES9-12T2
SU1400R2X122	4	12	9	5.94	2.56	3.98	6.56	ES9-12T2
SU1400RM	4	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU1400RM2U	4	12	9	5.94	2.56	3.98	6.56	ES9-12T2
SU1400RM2UX93	4	12	9	5.94	2.56	3.98	6.56	ES9-12T2
SU1400RMBX120	4	12	7.2	5.94	2.56	3.98	5.91	ES7-12

A.P.C. continued on next page...

A.P.C. (continued)

MODEL	QTY	VOLTAGE	CAPACITY	DIMENSIONS			WT (lb) ea.	PART #
				(Ah)	L (in)	W (in)		
APC3RA	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
APC3TA	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
DLA3000RMT2U	8	12	5	3.54	2.76	3.98	4.04	ES5-12
SU3000	4	12	18	7.13	3.03	6.57	13.82	ES17-12
SU3000NET	4	12	18	7.13	3.03	6.57	13.82	ES17-12
SU3000R3BX120	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU3000R3X145	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU3000RM	4	12	18	7.13	3.03	6.57	13.82	ES17-12
SU3000RM3U	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU3000RMNET	4	12	18	7.13	3.03	6.57	13.82	ES17-12
SU3000RMT3U	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU3000RMTX136	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU3000RMXL3U	8	12	9	5.94	2.56	3.98	6.56	ES9-12T2
SU3000US	4	12	18	7.13	3.03	6.57	13.82	ES17-12
SU3000X177	4	12	18	7.13	3.03	6.57	13.82	ES17-12
SUA3000	4	12	18	7.13	3.03	6.57	13.82	ES17-12
SUA3000R2X145	8	12	5	3.54	2.76	3.98	4.04	ES5-12
SUA3000R2X180	8	12	5	3.54	2.76	3.98	4.04	ES5-12
SUA3000RM2U	8	12	5	3.54	2.76	3.98	4.04	ES5-12
SUA3000RMT2U	8	12	5	3.54	2.76	3.98	4.04	ES5-12
SUA3000RMUS	8	12	5	3.54	2.76	3.98	4.04	ES5-12
DL5000RMT5U	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU5000R5T-TF3	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU5000RTBX120	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU5000R5TBXFMR	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU5000RMT5U	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU5000RMT5UXFMR	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU5000T	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU5000TX168	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12
SU5000TXFMR	8	12	7.2	5.94	2.56	3.98	5.91	ES7-12

BELKIN

MODEL	QTY	VOLTAGE	CAPACITY	DIMENSIONS			WT (lb) ea.	PART #
				(Ah)	L (in)	W (in)		
UPS-DESKTOP								
F6H375-USB	1	12	5	3.54	2.76	3.98	4.04	ES 5-12
F6H550 USB	1	12	5	3.54	2.76	3.98	4.04	ES 5-12
F6C550 AVR	1	12	5	3.54	2.76	3.98	4.04	ES 5-12
F6C750 AVR	1	12	5	3.54	2.76	3.98	4.04	ES 5-12
F6B750AVR	1	12	5	3.54	2.76	3.98	4.04	ES 5-12
F6C900 UNV	1	12	5	3.54	2.76	3.98	4.04	ES 5-12
F6C1100 UNV	1	12	5	3.54	2.76	3.98	4.04	ES 5-12
F6C1200 UNV	1	12	5	3.54	2.76	3.98	4.04	ES 5-12
UPS-NETWORKING								
F6C1000-TW-RK	2	12	5	3.54	2.76	3.98	4.04	ES5-12
F6C1250-TW-RK	2	12	5	3.54	2.76	3.98	4.04	ES5-12
F6C1500-TW-RK	2	12	7.2	5.94	2.56	3.98	5.91	ES7-12

EXIDE POWERWARE

MODEL	QTY	VOLTAGE	CAPACITY	DIMENSIONS			WT (lb) ea.	PART #
				(Ah)	L (in)	W (in)		
1000K	5	12	5	3.54	2.76	4.05	4.04	ES5-12
2000	20	12	5	3.54	2.76	4.05	4.04	ES5-12
2026C	4	12	26	6.54	6.89	4.92	20.96	ES26-12
2036C	6	12	18	7.13	2.99	6.57	13.82	ES17-12
5115	2	12	7.2	5.94	2.56	3.70	5.91	ES7-12
9125-24EBM	8	12	9	5.94	2.56	3.70	6.56	ES9-12T2
9125-48EBM	8	12	9	5.94	2.56	3.70	6.56	ES9-12T2
FX2002	2	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PLUS 6	20	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PERSONAL 500	3	6	7	5.94	1.34	3.70	2.89	ES7-6
PRESTIGE 650	4	12	5	3.54	2.76	4.05	4.04	ES5-12
PRESTIGE 800	4	12	5	3.54	2.76	4.05	4.04	ES5-12
PRESTIGE 1000	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PRESTIGE 2000	20	12	5	3.54	2.76	4.05	4.04	ES5-12
PRESTIGE 3000	10	12	5	3.54	2.76	4.05	4.04	ES5-12
PRESTIGE 6000	10	12	5	3.54	2.76	4.05	4.04	ES5-12
PRESTIGE 6000 EXT	20	12	18	7.13	2.99	6.57	13.82	ES17-12
PW3110-250	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PW3110-425	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PW3110-550	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PW3110-600	1	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW3115-300	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PW3115-650	2	6	12	5.94	1.97	3.70	4.97	ES12-6
PW5105-450	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PW5115-500	1	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW5115-500 RM	2	6	7	5.94	1.34	3.70	2.89	ES7-6
PW5115-750	2	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PW5115-1000	2	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW5115-1400	2	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW5119-1000	4	6	12	5.94	1.97	3.70	4.97	ES12-6
PW5119-1500	3	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PW5119-2000	8	6	12	5.94	1.97	3.70	4.97	ES12-6
PW5119-2400	4	12	18	7.13	2.99	6.57	13.82	ES17-12
PW5119-3000	4	12	18	7.13	2.99	6.57	13.82	ES17-12
PW9120 700	2	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW9120 1000	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW9120 1500	4	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW9120 2000	4	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW9120 3000	6	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW9120 BAT 700	4	6	7	5.94	1.34	3.70	2.89	ES7-6
PW9120 BAT 1000	6	6	7	5.94	1.34	3.70	2.89	ES7-6
PW9120 BAT 1500	8	6	7	5.94	1.34	3.70	2.89	ES7-6
PW9120 BAT 3000	16	6	7	5.94	1.34	3.70	2.89	ES7-6
PW9120 700	2	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW9120 1000	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW9120 1500	4	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW9120 2000	8	12	9	5.94	2.56	3.70	6.56	ES9-12T2

LIBERTY								
MODEL	QTY	VOLTAGE	CAPACITY	DIMENSIONS			WT (lb) ea.	PART #
				(Ah)	L (in)	W (in)		
PW9120 3000	8	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW PERSONAL 500	3	6	7	5.94	1.34	3.70	2.89	ES7-6
PW 9125-700	2	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW 9125-1000	2	12	12	5.94	3.90	3.74	9.39	ES12-12
PW 9125-1250	4	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW 9125-1500	4	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW 9125-2000	4	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW 9125-2500	6	12	9	5.94	2.56	3.70	6.56	ES9-12T2
PW 9125-3000	6	12	9	5.94	2.56	3.70	6.56	ES9-12T2
GXT2-20	6	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT2-30	8	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT2-48	8	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT2-50	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT2-60	12	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT2-72	12	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT700MT-120	3	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT1000RX-120	3	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT1000RT-120	3	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT1000RTE-120	6	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT1500RT-120	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT2000RT-120	8	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT2100RT-60	8	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT3000RT-120	8	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT36VBATT	6	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT48VBATT	8	12	7.2	5.94	2.56	3.70	5.91	ES7-12
GXT96VBATT	8	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PS700MT	2	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PS700RM	2	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PS1000MT	3	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PS1000RM	3	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PS1400MT	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PS1400RM	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
PS2200MT	8	6	12	5.94	1.97	3.70	4.97	ES12-6
PS2200RM	8	6	12	5.94	1.97	3.70	4.97	ES12-6
PS1000RT2-120	4	12	7.2	5.94	1.97	3.70	5.91	ES7-12
PS1400RT2-120	4	12	7.2	5.94	1.97	3.70	5.91	ES7-12
PS1920RT2-120	6	12	7.2	5.94	1.97	3.70	5.91	ES7-12
PS2200RT2-120	6	12	7.2	5.94	1.97	3.70	5.91	ES7-12
PS3000RT2-120	6	12	9	5.94	1.97	3.70	6.56	ES9-12
PSA350	1	12	7.2	5.94	1.97	3.70	5.91	ES7-12
PSA470	1	12	7.2	5.94	1.97	3.70	5.91	ES7-12
PSA700	1	12	12	5.94	3.90	3.74	9.39	ES12-12
PSP300	1	12	5	3.54	2.76	4.05	4.05	ES5-12
PSP500	1	12	7.2	5.94	1.97	3.70	5.91	ES7-12
S 1000MT	3	12	7.2	5.94	1.97	3.70	5.91	ES7-12
S 1400MT	4	12	7.2	5.94	1.97	3.70	5.91	ES7-12
S 2200MT	8	6	12	5.94	1.97	3.70	4.97	ES12-6
SB-GXT36V	6	12	7.2	5.94	1.97	3.70	5.91	ES7-12
SB-GXT48V	8	12	7.2	5.94	1.97	3.70	5.91	ES7-12
SB-GXT96V	8	12	7.2	5.94	1.97	3.70	5.91	ES7-12

LIBERTY continued on next page...

LIBERTY								
MODEL	QTY	VOLTAGE	CAPACITY	DIMENSIONS			WT (lb) ea.	PART #
			(Ah)	L (in)	W (in)	H (in)		
SB-GXT240V	20	12	7.2	5.94	1.97	3.70	5.91	ES7-12
SB-GXT240LRT	20	12	50	7.80	6.54	6.73	31.32	ES50-12
SB-GXT700VA	2	12	7.2	5.94	1.97	3.70	5.91	ES7-12
SB-GXT1000RT	3	12	7.2	5.94	1.97	3.70	5.91	ES7-12
SB-GXT1500RT	8	12	7.2	5.94	1.97	3.70	5.91	ES7-12
SB-GXT6000T-208	20	12	7.2	5.94	1.97	3.70	5.91	ES7-12
SB-GXTT2-3RT	8	12	7.2	5.94	1.97	3.70	5.91	ES7-12
SB-PS700MT	2	12	7.2	5.94	1.97	3.70	5.91	ES7-12

TRIPLITE								
MODEL	QTY	VOLTAGE	CAPACITY	DIMENSIONS			WT (lb) ea.	PART #
			(Ah)	L (in)	W (in)	H (in)		
AVR750U	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
AVRX750U	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
BCINTERNET450	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
BCINTERNET500	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
BCINTERNET550	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
BCINTERNET675 (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
BCINTERNET675 (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
BCPERS450	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
BCPERS500	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
BCPRO600 (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
BCPRO600 (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
BCPRO675 (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
BCPRO675 (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
BCPRO850	3	6	10	5.94	1.97	3.70	4.97	ES12-6
BCPRO1050	3	6	10	5.94	1.97	3.70	4.97	ES12-6
BCPRO1400	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
BCPROINT675 (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
BCPROINT675 (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
BCPROINT1050	3	6	10	5.94	1.97	3.70	4.97	ES12-6
HT850UPS	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
HT81500UPS	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
INTERNET500i	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
INTERNET700i (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
INTERNET700i (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
INTERNET750U	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
INTERNETOFFICE450	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
INTERNETOFFICE500	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
INTERNETOFFICE700 (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
INTERNETOFFICE700 (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
IO700NAFIA	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNI300NAFIA	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNI500ISO	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNI750ISO	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
OMNI1000ISO	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
OMNI1500XLNAFIA	2	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNIPRO450	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNIPRO675 (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12

TRIPLITE continued on next page...

TRIPLITE								
MODEL	QTY	VOLTAGE	CAPACITY	DIMENSIONS			WT (lb) ea.	PART #
			(Ah)	L (in)	W (in)	H (in)		
OMNIPRO675 (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNIPRO1050	3	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNIPRO1400	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
OMNISM1000	2	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNISMART300	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNISMART300PNP	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNISMART350HG	2	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNISMART450PNP	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNISMART500	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNISMART500PNP	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNISMART675 (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNISMART675 (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNISMART675PNP (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNISMART675PNP (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNISMART700 (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNISMART700 (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNISMART850	3	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNISMART850PNP	3	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNISMARTINT500	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNISMARTINT700 (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNISMARTINT700 (2)	1	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNISMARTINT1000	3	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNISMARTINT1400	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
OMNIVS800	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNIVS1000	2	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNIVS1500	2	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNIVS1500XL	2	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNIVSINT800	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
OMNIVSINT1000	2	6	10	5.94	1.97	3.70	4.97	ES12-6
OMNIVSINT1500	2	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SM550UNAFTA	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SM700NAFTA	2	6	10	5.94	1.97	3.70	4.97	ES12-6
SM750UNAFTA	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SM1050NAFTA	3	6	10	5.94	1.97	3.70	4.97	ES12-6
SM1500NAFTA	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SM1500XLNAFTA	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART500USB	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART550USBWD	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART700	2	6	10	5.94	1.97	3.70	4.97	ES12-6
SMART700DV	4	6	10	5.94	1.97	3.70	4.97	ES12-6
SMART700HG	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART700NET	2	6	10	5.94	1.97	3.70	4.97	ES12-6
SMART700SER	2	6	10	5.94	1.97	3.70	4.97	ES12-6
SMART700USB (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART700USB (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6

TRIPLITE continued on next page...

TRIPLITE								
MODEL	QTY	VOLTAGE	CAPACITY	DIMENSIONS			WT (lb) ea.	PART #
			(Ah)	L (in)	W (in)	H (in)		
SMART700XL	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART750SLT	2	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART750USB	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART750XL	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART850	3	6	10	5.94	1.97	3.70	4.97	ES12-6
SMART850NET	3	6	10	5.94	1.97	3.70	4.97	ES12-6
SMART1050	3	6	10	5.94	1.97	3.70	4.97	ES12-6
SMART1050NET	3	6	10	5.94	1.97	3.70	4.97	ES12-6
SMART1050SLT	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART1050XLNET	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART1200XLHG	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART1400	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART1400NET	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART1400RM2U	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART1400RMXL2U	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART1400XL	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART1500	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART1500RMXL2U	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART1500SLT	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART1500XL	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART2200RM2U	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART2200RMXL2U	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART2200VS	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART2200VSXL	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART2600RM2U	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART3000RM2U	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART3000VS	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMARTINT700	2	6	10	5.94	1.97	3.70	4.97	ES12-6
SMARTINT1000	3	6	10	5.94	1.97	3.70	4.97	ES12-6
SMART1400	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART1500	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SMART2200VS	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMART3000VS	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SMX750SLT	2	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SU1000RT2U	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SU1000RTXL2U	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SU2200RT2U	6	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SU2200RTXL2U	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SU3000RT3U	6	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SU3000RTXL3U	6	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SU3000RTXL3UHV	6	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SUINT1000RTXL2U	3	12	9	5.94	2.56	3.70	19.5	ES9-12T2
SUINT2200RT2U	4	12	7.2	5.94	2.56	3.70	5.91	ES7-12
SUINT3000RT3U	6	12	9	5.94	2.56	3.70	6.56	ES9-12T2
SUINT3000RTXL3U	6	12	9	5.94	2.56	3.70	6.56	ES9-12T2
TE300 (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12
TE300 (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
TE600 (1)	1	12	7.2	5.94	2.56	3.70	5.91	ES7-12

TRIPLITE continued on next page...

TRIPLITE								
MODEL	QTY	VOLTAGE	CAPACITY	DIMENSIONS			WT (lb) ea.	PART #
			(Ah)	L (in)	W (in)	H (in)		
TE600 (2)	2	6	10	5.94	1.97	3.70	4.97	ES12-6
TE700	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2
TE1200	3	12	9	5.94	2.56	3.70	6.56	ES9-12T2

For all other U.P.S. replacement batteries please call 800-372-9253

We also feature *Unigy Batteries* for: Custom UPS Systems or UPS Rack Systems

Call For Information

800-372-9253