Battery Tech Selection Guide



The right battery for the right application...

EQUIPMENT TYPE	USER Profile	AGM	GENUINE GEL
Standard Power (captain seat with/without solid seat pan)	WEIGHT	Under 300 lbs.	Over 300 lbs.
	DAILY USAGE	Under 6 hrs Under 8 miles	Over 6 hrs Over 8 miles
	DIAGNOSIS	Non-Progressive Disease	Progressive Disease*
Scooters	WEIGHT	Under 300 lbs.	Over 300 lbs.
	DAILY USAGE	Under 8 hrs	Over 8 hrs

^{*}User may require power positioning accessories at a future date

Battery Tech Selection Guide

The right battery for the right application...




Code Guide

Group 2 • No Power Options • Standard Duty

CODE	ТҮРЕ	
K0821	Capt Seat	
K0822	Sling Seat	
K0823	Capt Seat	
K0830	Sling Seat	
K0831	Capt Seat	

MK Genuine GEL vs AGM Technology Cycle Life*



Gel Cycle Life and AGM Cycle Life vs Depth of Discharge at +25°C (77°F) based on BCI 2-hour Capacity

[★]When comparing MK Gel Batteries with MK AGM Batteries at 80% Depth of Discharge.
★★A cycle is defined as one charge and one discharge. †Depth of Discharge is defined as

^{★★}A cycle is defined as one charge and one discharge. † Depth of Discharge is defined as the percentage of the available battery power used.